

AD 710

Doosan
Mecc Alte
D+ &



ISO8528

GC,) &

SZUTEST

GC - \$\$\$%

CE

2000/14/EC

&\$\$\$#(#

z) \$ z' z' D:

	"	kw	"	kw	Amp
400/230	710,00	568,00	640,00	512,00	923,80

fPQDE

GC,) &

,) & z

fDF DE

z&(

GC

Standard Specifications

z

fl

E

z

z

ALTERNATOR

D; A Z' 5J F

TRANSFER SWITCH

AD 710

Doosan
Mecc Alte
D+' &'

Manufacturer	Doosan		
Model	DP180LB		
	% \$ \$	"# "	
		612,00 kw [820,00HP]	
	L	18,273	
	"	128 x 142	
		15,0:1	
	fl # 7	"# "	1500
	fl 7	L	34,00
		L	112,20
AbsorbedAirDischargeReSourceKey.Text	' # "	' # "	36,00
		' # "	700,00
		' # "	118,00
	° C		587,00
			24 V d.c.
	Load	% \$ \$) \$
	# "		
		136,40	103,80 71,20


	Mecc Alte		
	ECO40 2L/4		
	Hz	50	
	"	680,00	
7cg'		0,80	
		3	
	fl 7	400/230	
	A	981,50	

		fl 7		fl 7	
		"	"	"	L
AD 710	4000,00	3359,00	1550,00	2056,00	850,00
		fl 7		fl 7	
		"	"	"	L
MS 80	4940	4810	1606	2615	850

AD 710

Doosan
Mecc Alte
D+' &'

1 D+' &'



2

8G9ž +' &\$ž) 5ž&&\$#(\$

3

4

5

8G9+' &\$ž
&&\$ž ž

8G9+' &\$ž

8G9+' &\$ž

% &1*(
žFG' &žFG(,) ž

"Новая энергия"

AD 710

Doosan
Mecc Alte
D+ &''

f@#@Bt
f@#@Bt

"z" "z"

f@#@Bt

971

f&%) +t

f&)(, t

f&% \$t

z

% !&*(

&(\$)

z

z

GA 8

!&+""

z

"Новая энергия"

AD 710

Doosan
Mecc Alte
D+ &



- 1 Steel structures.
- 2 Emergency stop push button.
- 3 Control panel is mounted on the baseframe . Located at the right side of the generator set.
- 4 Corrosion-resistant locks and hinges.
- 5 oil could be drained via valve and a hose
- 6 Exhaust system in the canopy.
- 7 special large access doors for easy maintenance
- 8 in front and back side special large access doors for easy maintenance
- 9 Base frame -fuel tank.
- 10 Lifting points similar to ISO container , located on each top corner of the canopy
- 11 the canopy provides easy access to radiator cap.
- 12 sound proofing materials
- 13 Plastic air intake pockets.

"Новая энергия"

	"	1606
fl "L	"	4810
fl "L	"	2615
	L	850