

# AD 710

Doosan  
Mecc Alte  
D+ &



ISO8528

GC, ) &

SZUTEST

GC - \$\$\$%



2000/14/EC

&\$\$\$#( #

z) \$ z' z' D:

	"	kw	"	kw	Amp
400/230	710,00	568,00	640,00	512,00	923,80

fPGE

GC, ) &

,) & z

fDF DE

%\$1

% %&

GC" \$(\*\*

z&(

GC

## Standard Specifications

z

fl

E

z

z

## ALTERNATOR

D; A Z'5JF

## TRANSFER SWITCH

# AD 710

Doosan  
Mecc Alte  
D+' &'

Manufacturer	Doosan		
Model	DP180LB		
	% \$ \$	#	"
	612,00 kw [820,00HP]		
	L	18,273	
	"	128 x 142	
		15,0:1	
	fl # ı	"# "	1500
	fl ı	L	34,00
		L	112,20
AbsorbedAirDischargeReSourceKey.Text	' # "	36,00	
	' # "	700,00	
	' # "	118,00	
	° C	587,00	
		24 V d.c.	
	Load	% \$ \$ı	) \$ı
	# "		
		136,40	103,80 71,20


	Mecc Alte		
	ECO40 2L/4		
	Hz	50	
	"	680,00	
7cg		0,80	
		3	
	fl ı	400/230	
	A	981,50	

		fl ı		fl ı	
	"	"	"	"	L
AD 710	4000,00	3359,00	1550,00	2056,00	850,00
		fl ı		fl ı	
	"	"	"	"	L
MS 80	4940	4810	1606	2615	850

# AD 710

Doosan  
Mecc Alte  
D+' &'

## 1 D+' &'



## 2

8G9ž +' &\$ž ) 5ž&&\$#(\$

## 3

## 4

## 5

8G9+' &\$ž &&\$' žž 8G9+' &\$ž 8G9+' &\$ž

% &1\*( žFG' &žFG(,) ž

"Новая энергия"

# AD 710

Doosan  
Mecc Alte  
D+ &

f@#@Bt  
f@#@Bt

"z" "z"

f@#@Bt

971

f&%) +L

f&)(, t

f&% \$L

z

"% !&\*(

&(\$)

z

z

GA 8

!&+""

z

"Новая энергия"

# AD 710

Doosan  
Mecc Alte  
D+ &



- 1 Steel structures.
- 2 Emergency stop push button.
- 3 Control panel is mounted on the baseframe . Located at the right side of the generator set.
- 4 Corrosion-resistant locks and hinges.
- 5 oil could be drained via valve and a hose
- 6 Exhaust system in the canopy.
- 7 special large access doors for easy maintenance
- 8 in front and back side special large access doors for easy maintenance
- 9 Base frame -fuel tank.
- 10 Lifting points similar to ISO container , located on each top corner of the canopy
- 11 the canopy provides easy access to radiator cap.
- 12 sound proofing materials
- 13 Plastic air intake pockets.

"Новая энергия"

	"	1606
fl "L	"	4810
fl "L	"	2615
	L	850